

Geckolighting® LED High/Low Bay Lights

150w



Code: 80-HB150

Product: **Gecko LED 150W High Bay Light**

- Operating Voltage: 85-265v AC
- Frequency: 47-63Hz
- Power: 150w
- LED's: 1 x 150 High power Bridgelux
- Lumen Output: 13500lm
- Beam spread: 60°, 90°, 120°
- Colour Temperature: CW (6000-6500k)
- Colour Render Index: Ra>75
- Power Factor: >0.90
- Light Efficiency: 85-90lm/w
- Working Environment: -30° to +65°C
- Dimensions – 560mm (D) x 240mm (H)
- Weight: 14kg
- Working life: 50,000 hours
- IP54

100w



Code: 80-HB100

Product: **Gecko LED 100W High Bay Light IP65**

- Operating Voltage: 85-265v AC
- Frequency: 50Hz/60Hz
- Power: 100w
- LED's: 1 x 100w High power Bridgelux
- Lumen Output: 9000lm
- Beam spread: 60°, 90°, 120°
- Colour Temperature: CW (6000-6500k)
- Colour Render Index: Ra>75
- Power Factor: >0.90
- Light Efficiency: 85-100lm/w
- Working Environment: -40° to +55°C
- Body: Powder coated Aluminium
- Lens: Toughened Glass
- Dimensions – 560mm (D) x 240mm (H)
- Weight: 14kg
- Working life: 50,000 hours
- IP54

Geckolighting
Phone: (08) 9371 2652
Fax: (08) 9371 2444
sales@geckolighting.com.au



N24206

www.geckolighting.com.au

Geckolighting® LED Bay Light Globes

50w



Code: 80-BLTE4050

Product: **Gecko LED 50W Bay Light Globe**

- Operating Voltage: 85-265v AC
- Frequency: 50/60Hz
- Power: 50w
- LED's: 1 x 50 High power
- Lumen Output: 4,500lm
- Beam spread: 60°, 90°, 120°
- Colour Temperature: CW (6000-6500k)
- Colour Render Index: Ra>75
- Power Factor: >0.90
- Light Efficiency: 85-90lm/w
- Working Environment: -30° to +55°C
- Dimensions – 245mm (D) x 70mm (H)
- Body: Al/PC. Lens: PC (clear or frosted)
- Weight: 0.5kg
- Working life: 50,000 hours
- IP54

40w



Code: 80-BLTE4040

Product: **Gecko LED 40W Bay Light Globe**

- Operating Voltage: 85-265v AC
- Frequency: 50Hz/60Hz
- Power: 40w
- LED's: 1 x 40W High power
- Lumen Output: 3,600lm
- Beam spread: 60°, 90°, 120°
- Colour Temperature: CW (6000-6500k)
- Colour Render Index: Ra>75
- Power Factor: >0.90
- Light Efficiency: 85-100lm/w
- Working Environment: -40° to +55°C
- Body: Al/PC. Lens: PC (clear or frosted)
- Dimensions – 245mm (D) x 70mm (H)
- Weight: 0.5kg
- Working life: 50,000 hours
- IP54

30w



Code: 80-BLTE4030

Product: **Gecko LED 30W Bay Light Globe**

- Operating Voltage: 85-265v AC
- Frequency: 50Hz/60Hz
- Power: 30w
- LED's: 1 x 30W High power
- Lumen Output: 2,700lm
- Beam spread: 60°, 90°, 120°
- Colour Temperature: CW (6000-6500k)
- Colour Render Index: Ra>75
- Power Factor: >0.90
- Light Efficiency: 85-100lm/w
- Working Environment: -40° to +55°C
- Body: Al/PC. Lens: PC (clear or frosted)
- Dimensions – 245mm (D) x 70mm (H)
- Weight: 0.5kg
- Working life: 50,000 hours
- IP54

Geckolighting
Phone: (08) 9371 2652
Fax: (08) 9371 2444
sales@geckolighting.com.au



www.geckolighting.com.au

Geckolighting® LED Bay Light Globes

50w




Code: 80-BLE4050

Product: **Gecko LED 40W E40 globe**

- Operating Voltage: 90-265v AC
- Frequency: 50Hz/60Hz
- Power: 50w
- LED's: 1 x 50W high power LED
- Beam spread: 120°
- Colour Temperature: CW (6000-6500k)
- Colour Render Index: Ra>75
- Working Environment: -30° to +50°C
- Body: Aluminium alloy & glass/PC
- Dimensions – 162mm (D) x 230mm (H)
- Weight: 1kg
- Working life: 50,000 hours
- IP40

30w



Code: 80-BLE4030

Product: **Gecko LED 30W E40 globe**

- Operating Voltage: 90-265v AC
- Frequency: 50Hz/60Hz
- Power: 30w
- LED's: 1 x 30W high power LED
- Beam spread: 120°
- Colour Temperature: CW (6000-6500k)
- Colour Render Index: Ra>75
- Working Environment: -30° to +50°C
- Body: Aluminium alloy & glass/PC
- Dimensions – 162mm (D) x 230mm (H)
- Weight: 1kg
- Working life: 50,000 hours
- IP40

Geckolighting
Phone: (08) 9371 2652
Fax: (08) 9371 2444
sales@geckolighting.com.au



www.geckolighting.com.au

Geckolighting® LED Finger Globes

18w**E27**

Cool White



Code: 10-FE2718wCW

Product: **Gecko LED 18W 240v Finger globe**

- Operating Voltage: 85-265V/AC
- Frequency: 50/60Hz
- Power: 18w
- LEDs: 48 SMD LED
- Colour Temperature: CW (5500-6000k)
- Power Factor: >0.85
- Material: Glass/PBT base
- Dimensions: 90mm x 210mm
- Luminescence Angle: 360°

25w**E27**

Cool White




Code: 10-FE2725wCW

Product: **Gecko LED 25W 240v Finger globe**

- Operating Voltage: 85-265V/AC
- Frequency: 50Hz/60Hz
- Power: 25w
- LEDs: 72 SMD LED
- Colour Temperature: CW (5500-6000k)
- Power Factor: >0.85
- Material: Glass/PBT base
- Dimensions: 90mm x 270mm
- Luminescence Angle: 360°

37w**E27**

Cool White



Code: 10-FE2737wCW

Product: **Gecko LED 37W 240v Finger globe**

- Operating Voltage: 85-265V/AC
- Frequency: 50Hz/60Hz
- Power: 37w
- LEDs: 72 SMD LED
- Colour Temperature: CW (5500-6000k)
- Power Factor: >0.85
- Material: Glass/PBT base
- Dimensions: 90mm x 270mm
- Luminescence Angle: 360°

Geckolighting
 Phone: (08) 9371 2652
 Fax: (08) 9371 2444
 sales@geckolighting.com.au



www.geckolighting.com.au